

S5	1	S2 and ((first adj2 clock)near6 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 14:08
S6	40	S4 and ((first adj2 clock)near6 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:22
S7	15	S4 and ((second near3 (frequency or clock))with (swallow\$4 or drop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:34
S8	22	(clock near4 (generat\$4 or produc\$5))same (((swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)near3 ((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)adj3(puls\$3 or bit\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:56
S9	6	(frequency near3 generat\$4)with ((swallow\$4 or drop\$4 or eliminat\$4)near4 ((select\$3 or predetermin\$4 or predefin\$4)near2 (puls\$2 or cycle\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:33
S10	250	madrid.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:34
S11	19	S10 and (swallow\$4 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:37
S12	1	S10 and ((pulse or cycle)near4(swallow\$4 or drop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:35

S13	7	S10 and (clock near4 (generat\$4 or produc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:36
S14	1	S13 and (swallow\$4 or drop\$4 or eliminat\$4 or omi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:40
S15	1109	(clock near4 (generat\$4 or produc\$5))same ((swallow\$4 or drop\$4 or eliminat\$4 or omi\$4)near6 (puls\$2 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:40
S16	523	(clock near4 (generat\$4 or produc\$5))with ((swallow\$4 or drop\$4 or eliminat\$4 or omi\$4)near6 (puls\$2 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:03
S17	20	S15 same (selected near3 pulse\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:41
S18	7	S16 same (selected near3 pulse\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:42
S19	14884	((((swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)with ((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)near33(puls\$3 or bit\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:57
S20	4211	((((swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)with ((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)near3(puls\$3 or bit\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:58

S21	4211	((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)near3(puls\$3 or bit\$1))with (swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:00
S22	953	((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)near3(puls\$3 or bit\$1))adj5 (swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:01
S23	646	((select\$3 or chosen or choos\$4 or predefin\$4 or predetermin\$3)adj3(puls\$3 or bit\$1))near3 (swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:02
S24	40	S23 same((frequency or clock) near4 (generat\$4 or produc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:05
S25	23685	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:19
S26	4127	S25 and (clock near4 (generat\$4 or produc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:20
S27	4588	S25 and (((frequenc\$4 or clock or (puls\$2 near3 train)) near4 (generat\$4 or produc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:21
S28	24	S25 and (((((frequenc\$4 or clock or (puls\$2 near3 train)) near4 (generat\$4 or produc\$5))same ((select\$5 or adapt\$5 or predetermin\$3 or predefin\$4 or Chosen or choos\$4)near3 (swallow\$4 or drop\$4 or eliminat\$4 or omit\$4))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:26

S29	3	("4315166" "4186637" "3997800").pn.	USPAT; USOCR; IBM_TDB	OR	ON	2005/03/01 11:20
S30	5	("6043692" "5825218" "4855622" "4284906" "4191942").pn.	USPAT; USOCR; IBM_TDB	OR	ON	2005/03/01 11:31
S31	2	("6043692").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:27
S32	2	("6043692").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:32
S33	3	("4315166").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:37
S34	23623	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:37
S35	1	S34 and ((clock near3 generat\$4)same (select\$4 near6 (delet\$ or swallow\$4 or omit\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:40
S36	15	S34 and ((clock near3 generat\$4)with ( (delet\$ or swallow\$4 or omit\$4)near4 (puls\$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:41
S37	15	S34 and ((clock near3 generat\$4)with ( (delet\$ or swallow\$4 or omit\$4 or dither\$4)near4 (puls\$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:21



S38	186	((clock near3 generat\$4)with ((delet\$ or swallow\$4 or omit\$4 or dither\$4)near4(puls\$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:24
S39	290	((clock near3 generat\$4)with ((delet\$ or swallow\$4 or omit\$4 or dither\$4 or drop\$4)near4(puls\$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:39
S40	50	S39 same((select\$5 or adapt\$4 or predetermined or predefined)near4 (puls\$2 or cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:27
S41	1	S40 same(first near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:28
S42	10	S40 and (second near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:30
S43	261	((clock near3 generat\$4)with ((delet\$ or swallow\$4 or omit\$4 or dither\$4 or drop\$4)near4(puls\$2 )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:40
S44	5	((clock near3 generat\$4)with ((delet\$ or swallow\$4 or omit\$4 or dither\$4 or drop\$4)near4(selected near3 puls\$2 )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6023	((clock near3 generat\$4)with (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:55
L2	5	l1 and (((delet\$ or swallow\$4 or omit\$4 or dither\$4 or drop\$4)near6 (selected near3 puls\$2 )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:10
L3	290	l1 and ((chang\$4 or alter\$5 or switch\$4 or replac\$4)near4 ((contents or valu\$2 or data or sequence)near4 (shift near2 register\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:14
L4	32	l1 and ((chang\$4 or alter\$5 or switch\$4 or replac\$4)near4 ((contents or valu\$2 or data or sequence)near4 (shift near2 register\$1)))same (frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:24
L5	17	((chang\$4 or alter\$5 or switch\$4 or replac\$4)near4 ((contents or valu\$2 or data or sequence)near4 (shift near2 register\$1)) with (((reduc\$5 or increas\$4 or lowers\$4 or high\$4)near2 frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:28
L6	1	l5 same (clock near4 generat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:31
L7	11	l5 and (clock near4 generat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:59
L8	22826	((clock or frequency)near3 generat\$4)with (reference near2 (clock or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:00

L9	0	l8 with ((swallow\$4 or omit\$4 or delet\$4 or drop\$4 or dither\$4 or eliminat\$4) near5 (select\$4 near2 puls\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:02
L10	0	l8 same ((swallow\$4 or omit\$4 or delet\$4 or drop\$4 or dither\$4 or eliminat\$4) near5 (select\$4 near2 puls\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:03
L11	8	l8 and ((swallow\$4 or omit\$4 or delet\$4 or drop\$4 or dither\$4 or eliminat\$4) near5 (select\$4 near2 puls\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:09
L13	125	l8 same ((swallow\$4 or omit\$4 or delet\$4 or drop\$4 or dither\$4 or eliminat\$4) near5 ( puls\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:03
L15	22	l13 and (shift adj2 registers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:19
L17	0	l13 and ((shift adj2 registers)with (sequence near2 values))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:19
S3	2	"6629256".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:18
S4	392	(clock near4 (generat\$4 or produc\$5))with ((swallow\$4 or drop\$5 or omi\$6 or eliminat\$4 or absorb\$5)near3 (puls\$3 or bit\$1 or cycle\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:19